CSRG Car Submission Procedure

General

Submit the completed forms and necessary photos at least eight weeks prior to the first event in which you intend to participate. If possible, please scan or photograph the complete submission and e-mail to race_director@csrgweb.org. If e-mailing is not possible, mail to CSRG, PO Box 3223, San Rafael CA 94912. Forms submitted with incomplete information or without photos will not be reviewed. The Committee Chairman will contact you if there are questions or more information is required. If certain questions do arise, it may be necessary to request your appearance at a Board of Directors meeting prior to gaining provisional acceptance.

"Provisional" acceptance is the only acceptance issued because the car remains subject to re-certification. It is your responsibility as the owner to maintain the car **in the same condition as it was provisionally accepted**. Any change or modification in the car's preparation, specifications, appearance, equipment, or tires must be reported to CSRG with any necessary documentation. Re-submission of the car may be required at the discretion of the Board or the Car Classification Chair. The Board of Directors may revoke a provisional acceptance at any time for failure to comply with these requirements.

Provisional acceptance is terminated upon the sale or transfer of the vehicle to another owner, or upon the current owner's failure to renew CSRG membership.

Current photos

Current, clear photos of the vehicle - front 3/4, rear 3/4, engine and interior views - **are mandatory and must be submitted at the time of application**. You should consider submitting photos of any modifications to the car that may be subject to review (for example, roll cage installation).

Documentation

Please consult the current CSRG Rulebook for the requirements for the car type you are submitting. The most recent version of the CSRG rules will be found on the CSRG web site (http://www.CSRGracing.org/). Areas of particular importance are:

- Chassis number;
- Date of construction;
- Car type and rule set including the issuing (sanctioning) body governing race preparation;
- Engine type, displacement and date of manufacture;
- Gearbox type and date of manufacture;
- Type of brakes, size and date of manufacture;
- Wheel and tire sizes, tread pattern and wear rating, and wheel offset.

Please realize that the burden of proof regarding the acceptance of any car being submitted falls on the car owner. You should verify that your car has been manufactured, equipped and prepared to the dates and standards required. Proof can include documentation from any of the following possible sources: manufacturers' original specification sheets and serial numbers, period road test articles, FIA homologation papers and SCCA rulebooks the period to which the car is prepared, race photos and programs of the car or similar period cars. Anecdotal evidence, while not disregarded, should not be relied upon as the sole proof of any assertion.

You will be notified in writing following the Board's decision on your vehicle's acceptance. Thank you for your cooperation in the car acceptance process. CSRG appreciates your interest in racing with us.

The CSRG Board of Directors

CSRG Car Submission Form

Complete this form and provide the required photos and necessary documentation. Incomplete forms will not be reviewed and will delay the submission process at least 30 days.

Addross:				
Address:				
City:Sta	ate:	Zip:		
Best telephone number at which to reach you:				
e-mail address:				
Car:				
	Date of manufacture:			
Body style: Color:				
Production / Sedan / Sports Racer / Formula (selec	ct) Weight:	:		Dry / Wet (sele
Prepared to			rules (year	& sanctioning boo
Engine :				
Engine :	Data of m	onufooturo:	,	No of outlindors:
Manufacturer:				
Cylinder Block (Mfr. & Material):				
Displacement: Bore & Stroke : Orig				
Cylinder Head (Mfr & Material):				
Roller Rocker Arms Yes / No (select) L		-	-	
Carburetors, including number, size & type:				
Ignition system: Magneto / Distributor+Points+Coil		r+Trigger+C	oil / Other	(select)
Ignition system: Magneto / Distributor+Points+Coil If Ignition = Other, Brand		r+Trigger+C	oil / Other	(select)
If Ignition = Other, Brand	Note:	r+Trigger+C electronic	coil / Other	(select) exes must not be
If Ignition = Other, Brand Formula Ford only – Compression ratio:	Note:	or+Trigger+C electronic specs: lift &	coil / Other ignition bo	(select) exes must not be
If Ignition = Other, Brand	Note:	or+Trigger+C electronic specs: lift &	coil / Other ignition bo	(select) exes must not be
If Ignition = Other, Brand Formula Ford only – Compression ratio:	Note:	or+Trigger+C electronic specs: lift &	coil / Other ignition bo	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission :	Note: Camshaft	or+Trigger+C electronic specs: lift &	coil / Other ignition bo	(select) exes must not be
If Ignition = Other, Brand Formula Ford only - Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer:	Note:	electronic specs: lift &	coil / Other ignition bo duration:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission :	Note:	or+Trigger+C electronic specs: lift &	coil / Other ignition bo duration:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only - Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer:	Note:	electronic specs: lift &	coil / Other ignition bo duration:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer: Type: Gearbox / Transaxle (select)	Note: Camshaft Number	electronic specs: lift &	coil / Other ignition bo duration: anufacture: speeds:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only – Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential:	Note: Camshaft Number	electronic specs: lift &	coil / Other ignition bo duration: anufacture: speeds:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission: Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select)	Note: Camshaft Number	electronic specs: lift &	coil / Other ignition bo duration: anufacture: speeds:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission: Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select) Brakes:	Note: Camshaft Number	electronic specs: lift & Date of mar of forward Date of mar	coil / Other ignition bo duration: anufacture: speeds:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission: Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select) Brakes: Manufacturer:	Note: Camshaft Number	electronic specs: lift & Date of mar Date of mar	coil / Other ignition bo duration:anufacture:unufacture:unufacture:unufacture:unufacture:	(select) exes must not be
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select) Brakes: Manufacturer: Front — Disc / Drum (Select) Dimensions of rotor/d	Note: Camshaft Number	electronic specs: lift & Date of mar Date of mar	coil / Other ignition bo duration: anufacture: speeds: ufacture: di	(select) exes must not be sc-# of pistons:
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission: Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select) Brakes: Manufacturer:	Note: Camshaft Number	electronic specs: lift & Date of mar Date of mar	coil / Other ignition bo duration: anufacture: speeds: ufacture: di	(select) exes must not be sc-# of pistons:
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select) Brakes: Manufacturer: Front — Disc / Drum (Select) Dimensions of rotor/d	Note: Camshaft Number	electronic specs: lift & Date of mar Date of mar	coil / Other ignition bo duration: anufacture: speeds: ufacture: di	(select) exes must not be sc-# of pistons:
If Ignition = Other, Brand Formula Ford only — Compression ratio: Engine Builder (contact and telephone): Transmission : Manufacturer: Type: Gearbox / Transaxle (select) Rear Axle/Differential: Manufacturer: Type: Open / Limited slip / Locked (select) Brakes: Manufacturer: Front — Disc / Drum (Select) Dimensions of rotor/d Rear — Disc / Drum (Select) Dimensions of rotor/d	Note: Camshaft Number Irum:	electronic specs: lift & Date of mar Date of mar	coil / Other ignition bo duration: anufacture: speeds: ufacture: didi	(select) exes must not be sc-# of pistons:

Track: Original – Front:_			width:
	Rear:	Current – Front:	Rear:
Tires:			
Manufacturer:		Model:	
D.O.T Street / Racing (Se	elect)	Bias	s ply / Radial (select)
Front – Size as listed on	sidewall:		
Diameter:T	Γread Width:	Cross section:	Wear rating:
Rear – Size as listed on	sidewall:		
Diameter:T	Γread Width:	Cross section:	Wear rating:
Safety Equipment:			
without common modern possible (modern fuel cel extra layers of personal c	safety features. CSF lls for example). Drive clothing, closed faced	RG members are encouraged ers should consider additiona	/intage and Historic Cars were built to try to upgrade their cars where I personal safety items (for example protection, head and neck protection cars.
Rollover protection: Non	ne / Bar / Cage* (Se	elect) Number of mounting	points to chassis
reasonably expected to c	contribute to the drive astening rollover pro	r's safety. *Competitors in Pro	can be installed so that it can be oduction or GT Cars should note that nsion, and CSRG may withhold Appro
		O-4:6:	Number of points
Seat Belt manufacturer _		Certification Date	Number of points
			Number of points
Fire extinguisher manufa	cturer and compartm		
Fire extinguisher manufactorification Date	cturer and compartm Supp	ents protected pressant material	
Fire extinguisher manufactorification Date Fuel Cell Manufacturer	cturer and compartm	ents protected pressant material	
Fire extinguisher manufactor Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol	cturer and compartm Supp (Select)	ents protectedoressant materialCo	
Certification Date	cturer and compartm Supp (Select)	ents protectedoressant materialCo	
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any measpecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any measpecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any measpecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any measpecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,
Fire extinguisher manufactor Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elector Explain if and why any metals.	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any meespecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any meespecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,
Fire extinguisher manufact Certification Date Fuel Cell Manufacturer Fuel Gasoline / Alcohol External battery and elect Modifications: Explain if and why any meespecially in the areas of	cturer and compartm Supp (Select) ctrical shut-off switch	rents protectedoressant materialCoressant material	ertification Date its original date of manufacture,

Racing History:
Supply a complete racing history of the car Include seasons and series as well as significant drivers, championships won, etc. Please feel free to continue on an additional page:
Current Photos :
front ¾, rear ¾, engine bay, and interior are mandatory. Car acceptance will not proceed without the inclusion of these photos.
The undersigned hereby attests that the information provided herein is accurate and correct, to the best of the undersigned's knowledge and belief, including information as to the provenance, history, authenticity, equipment, configuration and form of preparation as described herein, and that the vehicle will be raced with CSRG in this configuration and form of preparation.
The undersigned further understands that any changes in the equipment, configuration and form of preparation of the car, as described herein, will require prompt resubmission of this form, with appropriate documentation, for consideration by the Board of Directors before the next event in which the car is proposed for entry. Providing false, misleading or inaccurate information on this Car Submission Form, or failure to resubmit this form upon making any changes in the equipment, configuration and form of preparation of the car, may result in exclusion of the car from CSRG events, forfeiture of entry fees, revocation of provisional acceptance, and/or suspension or expulsion of the car owner from CSRG membership.
Provisional acceptance is terminated upon sale or transfer of the car to another party or the car owner's failure to renew CSRG membership prior to the first event of the season.
Signature
Printed name Submission Date Form revised 2/2018